

Site: Eton Avenue, London, NW3

Date: 23rd January 2009

Surveyor: H. Appleyard

Ref: ts1/53etonave

Tree No.	English Name	Height	Crown Spread	Ground Clearance	Age Class	Stem Diameter	Protection Multiplier	Protection Radius	Growth Vitality	Structural Condition	Landscape Contribution	B.S. Cat	Sub Cat	Useful Life	Observations
T1	Sycamore	19	8 2 4 7	2.5	Mature	560	12	6.7	Moderate	Fair	Medium	C	1,2	20-40	Boundary self-set tree Ivy smothered Evidence of fire damage on north branches
T2	Sycamore	20	3 1 2 2	7	Mature	570	12	6.8	Poor	Fair	Medium	C	2	20-40	Boundary self-set tree Ivy covered trunk and branches Deadwood; high crown
T3	Sycamore	20	4 5 1 3	3	Mature	470	12	5.6	Moderate	Fair	Medium	C	2	20-40	Boundary self-set tree Ivy covered trunk and branches Deadwood; topped in past; drawn stems; ivy mantles offer screen
T4	Pear, Domestic	4	2 2 2 1	1.5	Middle Aged	150	12	1.8	Normal	Good	Low	C	1,2	>40	Subordinate tree Understorey vegetation
T5	Sycamore	20	2 5 8 4	7	Mature	510	12	6.1	Moderate	Fair	Medium	C	2	>40	Ivy covered trunk and branches Leaning (significantly) Off site tree; with hanging branch
T6	Lime, Common	21	3 2 3 2	2.5	Mature	400	12	4.8	Normal	Fair	Medium	C	2	20-40	Off-site tree Leaf/shoot disorders
T7	Sycamore	21	3 6 7 3	8	Mature	550	12	6.6	Moderate	Fair	Medium	C	1,2	20-40	Open crown form Broken & split branches Poor form; at boundary; small decay hole west side 4m

Notes:

1. Height describes the approximate height of the tree in meters from ground level.
2. The Crown Spread refers to the crown radius in meters from the stem centre and is shown above on each of the four compass points (i.e. N, E, S, W) clockwise.
3. Ground Clearance is the height in meters of crown clearance above adjacent ground level.
4. Stem Diameter is the diameter of the stem measured in millimetres at 1.5m from ground level or just above ground level for multi stemmed trees. The diameter may be estimated (e), where access is restricted. An average (a) may be taken for tree groups. A full inspection is always recommended.
5. Protection Multiplier is 12 for single stemmed and 10 for multi-stemmed trees.

6. Protection Radius is a radial distance measured from the trunk centre and is used to calculate the BS RPA.
7. Growth Vitality - Normal growth, Moderate (below normal), Poor (sparse/weak), Dead (dead or dying tree).
8. Structural Condition - Good (no or only minor defects), Fair (remediable defects), Poor - Major defects present or suspected.
9. Landscape Contribution - High (prominent landscape feature), Medium (visible in landscape), Low (secluded/among other trees).
10. B.S. Cat. refers to British Standard 5837:2005 Table 1 category and refers to tree/group quality and value; 'A' - High, 'B' - Moderate, 'C' - Low, 'R' - Remove or very poor quality.
11. Sub Cat refers to the retention criteria values where 1 is Arboricultural, 2 is Landscape and 3 is Cultural including Conservation/ecological, historic and commemorative.
12. Useful Life is the tree's estimated remaining effective contribution in years.

Site: Eton Avenue, London, NW3

Surveyor: H. Appleyard

Date: 23rd January 2009

Ref: ts1/53etonave

Tree No.	English Name	Height	Crown Spread	Ground Clearance	Age Class	Stem Diameter	Protection Multiplier	Protection Radius	Growth Vitality	Structural Condition	Landscape Contribution	B.S. Cat	Sub Cat	Useful Life	Observations
T8	Ash, Common	21	7 6 4 2	5	Mature	560	12	6.7	Moderate	Poor	Low	C	1,2	10-20	A sparser than normal canopy Decay fungi present on branches Decay in trunk base; bark wounds; dead wood and hanging branches; decay at old pruning sites

Notes:

1. Height describes the approximate height of the tree in meters from ground level.
2. The Crown Spread refers to the crown radius in meters from the stem centre and is shown above on each of the four compass points (i.e. N, E, S, W) clockwise.
3. Ground Clearance is the height in meters of crown clearance above adjacent ground level.
4. Stem Diameter is the diameter of the stem measured in millimetres at 1.5m from ground level or just above ground level for multi stemmed trees. The diameter may be estimated (e), where access is restricted. An average (a) may be taken for tree groups. A full inspection is always recommended.
5. Protection Multiplier is 12 for single stemmed and 10 for multi-stemmed trees.
6. Protection Radius is a radial distance measured from the trunk centre and is used to calculate the BS RPA.
7. Growth Vitality - Normal growth, Moderate (below normal), Poor (sparse/weak), Dead (dead or dying tree).
8. Structural Condition - Good (no or only minor defects), Fair (remediable defects), Poor - Major defects present or suspected.
9. Landscape Contribution - High (prominent landscape feature), Medium (visible in landscape), Low (secluded/among other trees).
10. B.S. Cat. refers to British Standard 5837:2005 Table 1 category and refers to tree/group quality and value; 'A' - High, 'B' - Moderate, 'C' - Low, 'R' - Remove or very poor quality.
11. Sub Cat refers to the retention criteria values where 1 is Arboricultural, 2 is Landscape and 3 is Cultural including Conservation/ecological, historic and commemorative.
12. Useful Life is the tree's estimated remaining effective contribution in years.